


LED

EXTERIOR

WALL LIGHTS



EXTERIOR WALL





● **MK-ODL007**

material: aluminium
CREE LED 3W / WW
Ra90 / 170lm
excl. power supply
IP44 / class I II / CE
anodized silver
cut-out dia 46mm



● **MK-ODL008**

material: aluminium
CREE LED 3W / WW
Ra90 / 170lm
excl. power supply
IP44 / class I II / CE
anodized silver
cut-out dia 46mm




● **MK-ODL009**

material: aluminium
CREE LED 3W / WW
Ra90 / 170lm
excl. power supply
IP44 / class I II / CE
anodized silver
cut-out dia 46mm



● **MK-ODL010**

material: aluminium
CREE LED 3W / WW
Ra90 / 170lm
excl. power supply
IP44 / class I II / CE
anodized silver
cut-out dia 46mm






**● MK-LWA173A**

material: aluminium
COB LED 5W / WW
Ra85 / 500lm/38°
incl. power supply
IP44 / class I / 
anodized black
3000k/4000k/6000k


**● MK-LWA174A**

material: aluminium
COB LED 10W / WW
Ra85 / 1000lm/38°
incl. power supply
IP44 / class I / 
anodized black
3000k/4000k/6000k



● **MK-LWA210**

material: aluminium
solid acrylic diffuser
COB LED 5W / WW
Ra85 / 500lm
incl. power supply
IP44 / class I / **CE**
anodized black
3000k/4000k/6000k



● **MK-LWA211**

material: aluminium
solid acrylic diffuser
COB LED 5W / WW
Ra85 / 500lm
incl. power supply
IP44 / class I / **CE**
anodized black
3000k/4000k/6000k





● **MK-LWA215**

material: aluminium
 COB LED 5W / WW
 Ra85 / 500lm/38°
 incl. power supply
 IP44 / class I / **CE**
 anodized black
 3000k/4000k/6000k



● **MK-LWA216**


material: aluminium
 COB LED 2X5W / WW
 Ra85 / 1000lm/38°
 incl. power supply
 IP44 / class I / **CE**
 anodized black
 3000k/4000k/6000k






● **MK-LWA217**

material: aluminium
COB LED 9W / WW
Ra85 / 900lm/38°
incl. power supply
IP44 / class I / 
anodized black
3000k/4000k/6000k



● **MK-LWA218**

material: aluminium
COB LED 2X9W / WW
Ra85 / 1800lm/38°
incl. power supply
IP44 / class I / 
anodized black
3000k/4000k/6000k



● **MK-LWA135**

material: aluminium
CREE LED 3W / WW
Ra85 / 170lm
incl. power supply
IP44 / class I / **CE**
anodized black
acrylic shade
3000k/4000k/6000k